



MELAG MELATRONIC 17 AUTOKLAV, STERILISATOR

SKU: R062013-NV

230 V, 1.3 kVt

Tray size, cm 40 x 14 x 2

Chamber Volume 11

Dimension, cm 51 x 45 x 36

MODEL MELATRONIC 17 MELAG

WEIGHT 22 kg

Normal

0

21

false

false

false

DE

X-NONE

X-NONE

/* Style Definitions */

table.MsoNormalTable

{mso-style-name:"Normale Tabelle";

mso-tstyle-rowband-size:0;

mso-tstyle-colband-size:0;

mso-style-noshow:yes;

mso-style-priority:99;

mso-style-parent:"";

mso-padding-alt:0cm 5.4pt 0cm 5.4pt;

mso-para-margin-top:0cm;

mso-para-margin-right:0cm;

mso-para-margin-bottom:10.0pt;

mso-para-margin-left:0cm;


line-height:115%;



mso-pagination:widow-orphan;
font-size:11.0pt;
font-family:"Calibri","sans-serif";
mso-ascii-font-family:Calibri;
mso-ascii-theme-font:minor-latin;
mso-hansi-font-family:Calibri;
mso-hansi-theme-font:minor-latin;
mso-fareast-language:EN-US;}

gepflegt
Vollfunktionsfähig

www.mtc-hamburg.com
info@mtc-hamburg.com
0049 40 18 20 79 03
0049 176 205 800 86
fax.0049 40 65 86 33 64



Categories: [Autoklaven und Sterilisatoren](#), [Dental und Zahnheilkunde](#)

PRODUKTBESCHREIBUNG

230 V, 1.3 kVt

Tray size, cm 40 x 14 x 2

Chamber Volume 11

Dimension, cm 51 x 45 x 36

MODEL MELATRONIC 17 MELAG

WEIGHT 22 kg

Normal

0

21

false



false

false

DE

X-NONE

X-NONE

/* Style Definitions */

table.MsoNormalTable

{mso-style-name:"Normale Tabelle";

mso-tstyle-rowband-size:0;

mso-tstyle-colband-size:0;

mso-style-noshow:yes;

mso-style-priority:99;

mso-style-parent:"";

mso-padding-alt:0cm 5.4pt 0cm 5.4pt;

mso-para-margin-top:0cm;

mso-para-margin-right:0cm;

mso-para-margin-bottom:10.0pt;

mso-para-margin-left:0cm;

line-height:115%;

mso-pagination:widow-orphan;

font-size:11.0pt;

font-family:"Calibri","sans-serif";

mso-ascii-font-family:Calibri;

mso-ascii-theme-font:minor-latin;

mso-hansi-font-family:Calibri;

mso-hansi-theme-font:minor-latin;

mso-fareast-language:EN-US;}

[gepflegt](#)

[Vollfunktionsfähig](#)

www.mtc-hamburg.com

info@mtc-hamburg.com

0049 40 18 20 79 03

0049 176 205 800 86

fax.0049 40 65 86 33 64



ZUSÄTZLICHE INFORMATIONEN



GALLERIE

